



EZ1
Office (209) 943-7337
<http://msdsatproduction.com/>

SAFETY DATA SHEET

FILE NO.: 144

SDS DATE: January 29, 2017

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: LENS GUARD

SYNONYMS: N/A

PRODUCT CODES:

MANUFACTURER: EZ1

DIVISION: N/A

ADDRESS: 1000 East Channel Street
Stockton, CA 95205

EMERGENCY PHONE: CANUTEC: (613) 996-6666

CHEMTREC PHONE: (800) 424-9300

OTHER CALLS: Office (209) 943-7337

FAX PHONE: (209) 943-7337

SECTION 1 NOTES:

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

ROUTES OF ENTRY: Inhalation, Ingestion, Skin

POTENTIAL HEALTH EFFECTS

EYES: Irritation, redness, and burning sensation.

SKIN: Irritation and itching.

INGESTION: Depression, burning sensation throat.

INHALATION: Irritation of respiratory tract.

ACUTE HEALTH HAZARDS: N/A

CHRONIC HEALTH HAZARDS: Overexposure to petroleum distillates may cause nervous system or permanent brain damage. Upper respiratory, liver, urinary damage Or possible death.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Poor general health.



CARCINOGENICITY
OSHA: 100 ppm
OTHER:

ACGIH: 100 ppm

NTP: N/L

IARC: N/L

SECTION 2 NOTES: N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:

Petroleum Distillates

CAS NO.
8052-41-3

% WT
30-60

SARA 313 REPORTABLE
N/L

OSHA PEL:
100 ppm

ACGIH TLV
100 ppm

NTP
N/L

IARC
N/L

OSHA 1910 (Z)
N/L

EHS
N/L

LD50
N/L

LC50
N/L

SECTION 3 NOTE: N/A

SECTION 4: FIRST AID MEASURES

EYES: Flush with water for at least 15 minutes and get medical attention.

SKIN: Wash with soap and water.

INGESTION: Do not induce vomiting and Get medical attention immediately.

INHALATION: Remove from exposure, restore breathing, and get medical attention immediately.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: N/A

SECTION 4 NOTES: (Call doctor for 1, 2, and 3).

SECTION 5: FIRE-FIGHTING MEASURES

METHOD USED: Closed cup method.

FLASH POINT: 101F PMCC.

AUTO IGNITION TEMPERATURE: N/D

EXTINGUISHING MEDIA: Dry chemical, foam, and water fog

SPECIAL FIRE FIGHTING PROCEDURES: Use full protective gear and self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers may explode with high temperature.

SECTION 5 NOTES: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: If spilled absorb with sand or absorbent material.
Make sure to avoid using this product in an in closed area.

SECTION 6 NOTES: N/A

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Keep out of reach from children and pets. Store in a cool area. Use in ventilated area.
OTHER PRECAUTIONS: N/A

SECTION 7 NOTES: N/A

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

VENTILATION: Avoid using in closed area.

RESPIRATORY PROTECTION: If OSHA PEL/TLV is exceeded use NIOSH/MSHA approved air-supplied respirator.

EYE PROTECTION: Safety spectacles

SKIN PROTECTION: Protective gloves normally not needed.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: N/A

WORK HYGIENIC PRACTICES: No eating, drinking or smoking. Wash up after use.

EXPOSURE GUIDELINES: N/A

SECTION 8 NOTES: N/A

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Brown clear liquid.

ODOR: N/D

PHYSICAL STATE: Liquid

pH AS SUPPLIED: N/D

pH (Other):

BOILING POINT: N/D

F:

C:

MELTING POINT: N/D

F:

C:

FREEZING POINT: N/D

F:

C:

VAPOR PRESSURE (mmHg): N/D

@ 12-14

F:

C:

VAPOR DENSITY (AIR = 1): N/D

@

F:

C:
SPECIFIC GRAVITY: (H₂O = 1)
@ >1 0.993

F:
C:
EVAPORATION RATE: (Butyl Acetate = 1)

BASIS (=1): N/D

SOLUBILITY IN WATER: Not soluble in water.

SECTION 10: STABILITY AND REACTIVITY

STABLE
X

UNSTABLE

STABILITY: Stable

CONDITIONS TO AVOID (STABILITY): N/D

INCOMPATIBILITY (MATERIAL TO AVOID): N/D

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon Monoxide

HAZARDOUS POLYMERIZATION: N/D

CONDITIONS TO AVOID (POLYMERIZATION): N/D

SECTION 10 NOTES: N/A

SECTION 11: TOXICOLOGICAL INFORMATION

OVER EXPOSURE: Overexposure to petroleum distillates may cause nervous system or permanent damage.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Product is a mixture of listed components.

SECTION 12 NOTES: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of as hazardous waste and in accordance with Local, State and federal regulations.

RCRA HAZARD CLASS: N/D

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: UN 1993, Combustible, Paint Related material, 3, PGIII

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENT:

WATER TRANSPORTATION

PROPER SHIPPING NAME:

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENTS:

AIR TRANSPORTATION
PROPER SHIPPING NAME:
HAZARD CLASS:
ID NUMBER:
PACKING GROUP:
LABEL STATEMENTS:

OTHER AGENCIES:

SECTION 14 NOTES:

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS
TSCA (TOXIC SUBSTANCE CONTROL ACT):

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

311/312 HAZARD CATEGORIES:

313 REPORTABLE INGREDIENTS:

STATE REGULATIONS:

INTERNATIONAL REGULATIONS:

SECTION 15 NOTES:

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER: The information contained herein is based on data considered accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility for personal injury or property damage to vendees, users or third parties caused by the material. We also do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.