EZ-1

Office (209) 943-7337 www.msdsatproduction.com

SAFETY DATA SHEET

FILE NO.: 148 SDS DATE: July 23, 2018

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Clean-Cut™ SYNONYMS:N/APRODUCT CODES:

MANUFACTURER: C/EZ-1 INC.

DIVISION: N/A

ADDRESS: 1000 East Channel Street

Stockton, CA 95205

EMERGENCY PHONE: CANUTEC: (613) 996-6666

CHEMTREC PHONE: (800) 424-9300 OTHER CALLS: Office (209) 943-7337 FAX PHONE: (209) 943-7337

SECTION 1 NOTES:

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

ROUTES OF ENTRY: Inhalation, Ingestion, Skin

POTENTIAL HEALTH EFFECTS

EYES: Irritation.

SKIN: Moderate irritation.

INGESTION: Nausea, vomiting, and diarrhea.

INHALATION: Dizziness, nausea, headache.

ACUTE HEALTH HAZARDS: EYES: Irritation. SKIN: Irritation to sensitive skin. INGESTION: Nausea, vomiting, and diarrhea.

INHALATION: Dizziness, nausea, and headache.

CHRONIC HEALTH HAZARDS: N/A.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Poor general health.

Contains crystalline silica which is consider to be hazardous by inhalation. It is listed as a carcinogen for humans (group 1) by IARC and a substance reasonably anticipated to be a carcinogen by NTP. Crystalline silica is known to cause silicosis





CARCINOGENICITY

OSHA: 100 ppm , 0.05 mg/m³

NTP: N/L, Yes

ACGIH: 100 ppm, 0.05 mg/m3 IARC: N/L, Yes

OTHER:

SECTION 2 NOTES: N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:
Petroleum Distillates
Diatomaceous Earth

CAS NO. % WT. SARA 313 REPORTABLE

8052-41-3 11-30 N/L 68855-54-9 11-30 N/L

....

 OSHA PEL:
 ACGIH TLV
 NTP

 100 ppm
 100 ppm
 N/L

 0.05 mg/m³
 0.05 mg/m³
 Yes

 IARC
 OSHA 1910 (Z)
 EHS

 N/L
 N/L
 No

 Yes
 Yes
 No

LD50 LC50

N/L N/L

N/L N/L

SECTION 3 NOTE: N/A.

SECTION 4: FIRST AID MEASURES

EYES: Flush with water for 15 minutes.

SKIN: Wash with soap and water.

INGESTION: Do not induce vomiting.

INHALATION: Remove to fresh air.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: N/A

SECTION 4 NOTES: N/A

SECTION 5: FIRE-FIGHTING MEASURES

METHOD USED: N/L

FLASH POINT: ≥200 °F (TTC)

AUTO IGNITION TEMPERATURE: N/D

EXTINGUISHING MEDIA: Regular foam, Water.

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Vapor may travel.

SECTION 5 NOTES: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: If spilled absorb with sand or absorbent material and prevent runoff to sewer or surface water. Make sure to avoid using this product in an in closed area.

SECTION 6 NOTES: N/A

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Keep product closed - Store away from heat or flame.

OTHER PRECAUTIONS: Keep out of reach of children - Handle as a combustible liquid.

SECTION 7 NOTES: N/A.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

VENTILATION: Avoid using in closed area.

RESPIRATORY PROTECTION: Should wear if OSHA PEL/TLV is exceeded NIOSH/MSHA or other recognized approved

airsupplied respirator.

EYE PROTECTION: Safety spectacles

SKIN PROTECTION: Protective gloves normally not needed.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: N/A.

WORK HYGIENIC PRACTICES: No eating, drinking or smoking. Wash up after use.

EXPOSURE GUIDELINES: N/A

SECTION 8 NOTES: N/A.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Thick liquid, blue in color.

ODOR: Almond like odor.

PHYSICAL STATE: Liquid

pH AS SUPPLIED: 9 pH

(Other):

BOILING POINT: N/D

F: >210°F C: >100°C

MELTING POINT: N/D

F:

C:

FREEZING POINT: N/D

F: C:

VAPOR PRESSURE (mmHg): N/D

@

F: C:

VAPOR DENSITY (AIR = 1): N/D

@Water based

F:

SPECIFIC GRAVITY: (H2O = 1)

@ >1 0.985

F:

EVAPORATION RATE: (Butyl Acetate = 1)

1.0

BASIS (=1): N/D

SOLUBILITY IN WATER: Dilutes.

SECTION 10: STABILITY AND REACTIVITY

STABLE

UNSTABLE

STABILITY: Stable

CONDITIONS TO AVOID (STABILITY): N/A.

INCOMPATIBILITY (MATERIAL TO AVOID): Strong oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon Dioxide, Carbon Monoxide.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID (POLYMERIZATION): Heat or flame.

SECTION 10 NOTES: N/A

SECTION 11: TOXICOLOGICAL INFORMATION

OVER EXPOSURE: Irritation of eyes, skin, and throat.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Product is a mixture of listed components.

SECTION 12 NOTES: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: In accordance with Local, State and federal regulations.

RCRA HAZARD CLASS: N/D

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: NOT REGULATED FOR TRANSPORTATION. NMFC 33440 BUFFING OR POLISHING COMPOUND. HAZARD CLASS:
ID NUMBER:
PACKING GROUP:

WATER TRANSPORTATION PROPER SHIPPING NAME: HAZARD CLASS: ID NUMBER: PACKING GROUP: LABEL STATEMENTS:

LABEL STATEMENT:

AIR TRANSPORTATION PROPER SHIPPING NAME: HAZARD CLASS: ID NUMBER: PACKING GROUP: LABEL STATEMENTS:

OTHER AGENCIES:

SECTION 14 NOTES:

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT):


CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

311/312 HAZARD CATEGORIES:

313 REPORTABLE INGREDIENTS:

STATE REGULATIONS:



NTERNATIONAL REGULATIONS:
SECTION 15 NOTES:
SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER: The information contained herein is based on data considered accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility for personal injury or property damage to vendees, users or third parties caused by the material. We also do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.